

Table 5-9. Species Conservation on Existing and BRCP Protected Lands

	Total Extent	Total Extent Removed	Total Existing Protected	Percent Existing Protected	Protected Removed	BRCP Protected	Total Protected with BRCP Implementation	Percent Protected with BRCP Implementation
<b>Tricolored Blackbird</b>								
Breeding and Foraging Habitat	271,145	12,343	46,897	17.3	128	65,700	112,469	43.5
<b>Yellow-breasted Chat</b>								
Nesting and Foraging Habitat	6,957	680	844	12.1	0	3,560	4,404	70.2
Nesting and Foraging Habitat (Known Use Area)	283	0	68	24.1	2	185	251	88.6
<b>Subtotal</b>	7,240	680	912	12.6	2	3,745	4,655	71.0
<b>Bank Swallow</b>								
Nesting Habitat (miles)	169.0	0.0	51.0	30.2	0.9	20.0	70.2	41.5
<b>Western Burrowing Owl</b>								
Nesting and Foraging Habitat	165,841	14,126	44,748	27.0	127	56,360	100,980	66.6
<b>Western Yellow-billed Cuckoo</b>								
Nesting Habitat	5,581	92	2,999	53.7	0	2,025	5,024	91.5
<b>Greater Sandhill Crane</b>								
Winter Roosting and Foraging Habitat	147,775	1,500	24,136	16.3	9	35,920	60,047	41.1
Traditional Upland Use Area	2,814	62	31	1.1	0	0	31	1.1
<b>Subtotal</b>	150,589	1,561	24,167	16.0	9	35,920	60,078	40.3
<b>California Black Rail</b>								
<b>American Peregrine Falcon</b>								
Nesting Habitat	64	0	16	25.9	0	35	51	80.9
Foraging Habitat (Year-round and Seasonal)	194,748	3,632	37,498	19.3	21	66,495	103,971	54.4
<b>Subtotal</b>	194,812	3,632	37,514	19.3	21	66,530	104,023	54.4
<b>Swainson's Hawk</b>								
Nesting Habitat	17,349	220	7,050	40.6	4	4,355	11,400	66.6
Nesting and Foraging Habitat	2,565	557	104	4.1	0	1,435	1,539	76.6
Foraging Habitat	130,548	10,233	40,990	31.4	127	37,645	78,508	65.3
<b>Subtotal</b>	150,462	11,012	48,144	32.0	131	43,435	91,448	65.6
<b>White Tailed-kite</b>								
Nesting Habitat	33,670	2,566	7,526	22.4	6	9,075	16,595	53.4
Year-round Foraging Habitat	167,068	6,114	23,419	14.0	112	52,595	75,902	47.2
Breeding Season Foraging Habitat	104,940	7,055	21,740	20.7	16	45,080	66,804	68.2
<b>Subtotal</b>	305,678	15,735	52,685	17.2	134	106,750	159,301	54.9
<b>Bald Eagle</b>								
Nesting Habitat	26,471	2,753	7,516	28.4	78	7,565	15,004	63.3
Year-round Foraging Habitat	22,766	86	5,472	24.0	4	1,890	7,358	32.4
Seasonal Foraging Habitat	182,034	3,441	29,166	16.0	17	29,400	58,548	32.8
<b>Subtotal</b>	231,271	6,279	42,154	18.2	99	38,855	80,910	36.0
<b>Giant Garter Snake</b>								
Breeding and Movement Habitat: Rice	120,210	1,482	1,476	1.2	1	0-78,140	1,475-79,615	1.2-67.1
Breeding and Movement Habitat: Managed and Emergent Wetlands, willow scrub	34,697	43	25,678	74.0	9	0-8,310	25,669-33,979	74.1-98.1
Breeding and Movement Habitat: Adjoining	13,464	1,461	5,120	38.0	1	385	5,504	45.9
<b>Subtotal (acreage)</b>	168,372	2,986	32,275	19.2	11	8,695-78,525	40,958-110,788	24.8-67.0
Movement Habitat: Connected Waterways (miles)	1381.0	32.9	221.0	16.0	0.3	1090.0	1310.7	97.2
<b>Blainville's Horned Lizard</b>	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	400	Not applicable	Not applicable
<b>Western Pond Turtle</b>								
Aquatic Habitat	4,458	35	2,363	53.0	0.03	1135	3,498	79.1
Nesting and Movement Habitat	55,240	4,344	10,963	19.8	21	18420	29,362	57.7
Aquatic, Nesting and Movement Habitat	27,538	12	22,660	82.3	8	0	22,652	82.3
<b>Subtotal (acreage)</b>	87,236	4,392	35,986	41.3	29	19,555	55,512	67.0
Aquatic Habitat (no. of stock ponds)	204	23	16	7.8	0	0	16	8.8
Aquatic Habitat-perennial streams (linear miles)	278.0	13.2	46.6	16.8	0.6	0.0	46.1	17.4
<b>Foothill Yellow-legged Frog</b>								
Habitat - within 130ft of Perennial Streams	2,155	306	178	8.2	13	1,125	1,290	69.8
Habitat - within 130ft of Intermittent Streams	9,051	859	701	7.7	0	1,280	1,981	24.2
<b>Subtotal (acreage)</b>		1,164						0.0
Breeding Season Habitat - Perennial (miles)	287.6	10.2	22.0	7.7	0.4	0.0	21.6	7.8
Breeding Season Habitat - Intermittent (miles)	69.9	27.9	5.6	8.0	0.0	0.0	5.6	13.2
<b>Subtotal</b>	357.6	38.0	27.6	7.7	0.4	0.0	27.1	8.5
<b>Western Spadefoot Toad</b>								
Breeding Habitat	2,211	46	969	43.9	0	515	1,484	68.6
Breeding and Upland Habitat	34,189	1,916	5,046	14.8	9	20,770	25,807	80.0
Upland Habitat	70,566	7,883	10,224	14.5	89	21,180	31,316	50.0
<b>Subtotal (acreage)</b>	106,965	9,844	16,240	15.2	98	42,465	58,607	60.3
Breeding Habitat (no. of stock ponds)	195	21	16	8.2	0	0	16	9.2
Breeding Habitat-perennial/intermittent streams (linear miles)	380.3	30.3	54.6	14.4	0.1	0.0	54.5	15.6

Table 5-9. Species Conservation on Existing and BRCP Protected Lands

	Total Extent	Total Extent Removed	Total Existing Protected	Percent Existing Protected	Protected Removed	BRCP Protected	Total Protected with BRCP Implementation	Percent Protected with BRCP Implementation
<b>Central Valley Steelhead</b>								
Adult migration; juvenile rearing and migration habitat (linear miles)	84.7	0.0	14.4	17.0	0.0	4.0	18.4	21.7
Adult spawning and migration; juvenile rearing and migration habitat (linear miles)	105.8	0.0	35.2	33.3	0.5	5.5	40.2	38.0
Non-natal juvenile rearing habitat (linear miles)	6.7	0.0	0.1	1.5	0.0	0.5	0.6	9.0
<i>Subtotal</i>	197.2	0.0	49.7	25.2	0.5	10.0	59.2	30.0
<b>Sacramento River Winter-run Chinook Salmon</b>								
Adult migration; juvenile rearing and migration habitat (linear miles)	29.2	0.0	3.4	11.7	0.0	0.0	3.4	11.7
<b>Central Valley Spring-run Chinook Salmon</b>								
Adult migration; juvenile rearing and migration habitat (linear miles)	97.7	0.0	23.7	24.3	0.0	5.0	28.7	29.4
Adult spawning and migration; juvenile rearing and migration habitat (linear miles)	20.2	0.0	10.2	50.5	0.4	4.0	13.8	68.0
Non-natal juvenile rearing habitat (linear miles)	33.0	0.0	2.7	8.1	0.0	1.0	3.7	11.1
<i>Subtotal</i>	151.0	0.0	36.6	24.2	0.5	10.0	46.1	30.5
<b>Central Valley Fall/Late Fall-run Chinook Salmon</b>								
Adult migration; juvenile rearing and migration habitat (linear miles)	54.5	0.0	7.2	13.2	0.0	4.5	11.7	21.4
Adult spawning and migration; juvenile rearing and migration habitat (linear miles)	92.0	0.0	29.3	31.9	0.5	5.0	33.8	36.8
Non-natal juvenile rearing habitat (linear miles)	5.4	0.0	0.0	0.8	0.0	0.5	0.5	10.0
<i>Subtotal</i>	151.9	0.0	36.6	24.1	0.5	10.0	46.1	30.3
<b>Sacramento Splittail</b>								
Rearing, migration, and potential spawning habitat (linear miles)	43.3	0.0	4.6	10.7	0.0	0.0	4.6	10.7
<b>Green Sturgeon</b>		0.0						
Adult migration and spawning; juvenile migration and rearing habitat (linear miles)	20.1		3.1	15.6	0.0	0.0	3.1	15.6
Adult migration; juvenile migration and rearing habitat (linear miles)	22.0	0.0	6.2	27.9	0.0	0.0	6.2	27.9
Adult migration and potential spawning habitat (linear miles)	9.1	0.0	0.3	3.0	0.0	0.0	0.3	3.0
<i>Subtotal</i>	51.3	0.0	9.6	18.7	0.0	0.0	9.6	18.7
<b>River Lamprey</b>		0.0						
miles)	51.3		9.6	18.7	0.0	0.0	9.6	18.7
<b>Valley Elderberry Longhorn Beetle</b>		0						
Habitat	43,106		10,176	23.6	9	15,315	25,482	59.1
<b>Vernal Pool Tadpole Shrimp</b>		2,567						0.0
Habitat	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
No. of Occurrences	17	3	5	29.4	0	0	5	35.7
<b>Conservancy Fairy Shrimp</b>								
Habitat	NA	NA	NA	NA	NA	150	NA	NA
No. of Occurrences	3	2	0	0.0	0	3	3	300.0
<b>Vernal Pool Fairy Shrimp</b>								
Habitat	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
No. of Occurrences	29	17	3	10.3	0	0	3	25.0
<b>Ferris' Milkvetch</b>								
Habitat	2,219	173	908	40.9	0	650	1,558	76.2
No. of Occurrences	8	0	5	62.5	0	3	8	100.0
<b>Lesser Saltscale</b>								
No. of Occurrences	2	0	2	100.0	0	5	7	350.0
<b>Hoover's Spurge</b>								
Habitat	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
No. of Occurrences	4	0	3	75.0	0	1	4	100.0
<b>Ahart's Dwarf Rush</b>								
Habitat	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
No. of Occurrences	17	0	2	11.8	0	15	17	100.0
<b>Red Bluff Dwarf Rush</b>								
Habitat	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
No. of Occurrences	32	1	15	46.9		9	24	77.4
<b>Butte County Meadowfoam</b>								
<b>Veiny Monardella</b>								
No. of Occurrences	8	6	0	0.0	0	8	8	400.0
<b>Hairy Orcutt Grass</b>								
Habitat	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
No. of Occurrences	1	0	1	100.0	0	0	1	100.0

Table 5-9. Species Conservation on Existing and BRCP Protected Lands

	<i>Total Extent</i>	<i>Total Extent Removed</i>	<i>Total Existing Protected</i>	<i>Percent Existing Protected</i>	<i>Protected Removed</i>	<i>BRCP Protected</i>	<i>Total Protected with BRCP Implementation</i>	<i>Percent Protected with BRCP Implementation</i>
<b><i>Slender Orcutt Grass</i></b>								
<i>Habitat</i>	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
<i>No. of Occurrences</i>	2	0	0	0.0	0	2	2	100.0
<b><i>Ahart's Paronychia</i></b>								
<i>Habitat</i>	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
<i>No. of Occurrences</i>	5	0	2	40.0	0	2	4	80.0
<b><i>California Beaked-rush</i></b>								
<i>No. of Occurrences</i>	7	0	5	71.4	0	2	7	100.0
<b><i>Butte County Checkerbloom</i></b>								
<i>Habitat</i>	36,836	2,652	4,668	12.7	14	5,000	9,653	28.2
<i>No. of Occurrences</i>	136	8	67	49.3	0	30	97	75.8
<b><i>Butte County Golden Clover</i></b>								
<i>Habitat</i>	15,017	239	4,574	30.5	14	6,200	10,760	72.8
<i>No. of Occurrences</i>	17	0	13	76.5	0	2	15	88.2
<b><i>Greene's Tuctoria</i></b>								
<i>Habitat</i>	34,189	1,916	5,046	14.8	9	21,400	26,437	81.9
<i>No. of Occurrences</i>	5	0	3	60.0	0	2	5	100.0