Conservation Strategy Chapter 5

Table 5-14. Extent of Modeled Covered Species Habitat Types and Occurrences on Public and Easement Habitat Lands (acres unless otherwise noted in first column)

Covered Species Modeled or Mapped Habitat Type	Total	Total Existing Protected ¹	Other PEHL ²	Percent Existing Protected
Tricolored Blackbird		I	I.	I
Breeding and Foraging Habitat	268,666	44,382	3,320	16.5%
Yellow-breasted Chat	,	7	- 7-	
Nesting and Foraging Habitat	6,972	354	519	5.1%
Nesting and Foraging Habitat (Known Use Area)	302	0	68	0.0%
Subtotal	7,275	354	587	4.9%
Bank Swallow	.,=			
Nesting Habitat (linear miles)	169.0	15.2	35.7	9.0%
Western Burrowing Owl	107.0	10.2	33.7	2.070
Nesting and Foraging Habitat	165,511	43,097	3,683	26.0%
Western Yellow-billed Cuckoo	103,511	13,077	3,003	20.070
Nesting Habitat	5,620	927	2,135	16.5%
Greater Sandhill Crane	3,020	721	2,133	10.570
Winter Roosting and Foraging Habitat	147,880	26,991	0	18.3%
Traditional Upland Use Area	2,814	31	0	1.1%
Subtotal	150,694	27.022	0	17.9%
	Not applicable	Not applicable	Not applicable	Not applicable
California Black Rail ³ American Peregrine Falcon	Not applicable	Not applicable	Not applicable	Not applicable
		7	10	10.20/
Nesting Habitat	64	7	10	10.3%
Foraging Habitat (Year-round and Seasonal)	194,860	36,731	3,721	18.8%
Subtotal	194,924	36,737	3,731	18.8%
Swainson's Hawk	17.050	1 222	2 500	10.50
Nesting Habitat	17,358	3,393	3,690	19.5%
Nesting and Foraging Habitat	2,565	104	1	4.0%
Foraging Habitat	130,239	40,374	2,649	31.0%
Subtotal	150,163	43,870	6,340	29.2%
White-tailed Kite	1	ı	ı	ī
Nesting Habitat	32,571	3,241	4,091	9.9%
Year-round Foraging Habitat	177,224	27,330	1,093	15.4%
Breeding Season Foraging Habitat	94,526	17,673	1,818	18.7%
Subtotal	304,321	48,244	7,003	15.9%
Bald Eagle				
Nesting Habitat	23,827	1,584	5,863	6.6%
Year-round Foraging Habitat	7,411	3,507	2,019	47.3%
Seasonal Foraging Habitat	182,018	31,278	778	17.2%
Subtotal	213,256	36,369	8,661	17.1%
Giant Garter Snake				
Breeding and Movement Habitat: Rice	120,225	2,198	0	1.8%
Breeding and Movement Habitat: Managed and Emergent Wetlands, Willow Scrub	32,883	25,255	658	76.8%
Breeding and Movement Habitat: Adjoining Cropland	14,008	5,211	0	37.2%
Subtotal (acreage)	167,116	32,664	659	19.5%
Blainville's Horned Lizard	Not applicable	Not applicable	Not applicable	Not applicable
Western Pond Turtle	1.or applicable	- от аррисано	- or applicable	- tot applicable
Aquatic Habitat	4,440	1,760	676	39.6%
- aquatic amount	7,7-70	1,700	1 0,0	37.070

Conservation Strategy Chapter 5

Aquatic, Nesting and Movement Habitat	25,486	22,768	0	89.3%
Subtotal (acreage)	85,142	32,394	3,073	38.0%
Aquatic Habitat (no. of ponds)	204	13	3,073	6.4%
Aquatic Habitat-perennial streams (linear miles)	110.9	12.6	5.1	11.4%
Foothill Yellow-legged Frog	110.9	12.0	5.1	11.470
Habitat - within 130ft of Perennial Streams	2,113	25	149	1.2%
Habitat - within 130ft of Intermittent Streams	8,918	618	78	6.9%
Subtotal (acreage)	11,031	643	226	5.8%
Breeding Season Habitat - Perennial (linear miles)	69.9	0.9	4.6	1.3%
Breeding Season Habitat - Intermittent (linear miles)	287.6	19.7	2.4	6.8%
Subtotal	357.5	20.6	7.0	5.8%
Western Spadefoot Toad	337.3	20.0	7.0	5.670
Breeding Habitat	2,211	962	8	43.5%
Breeding and Upland Habitat	34,241	4,298	784	12.6%
Upland Habitat	71,512	7,456	2,239	10.4%
Subtotal (acreage)	107,963	12,716	3,031	11.8%
Breeding Habitat (no. of ponds)	195	13	3,031	6.7%
Breeding Habitat (no. of points) Breeding Habitat-perennial/intermittent streams (linear miles)	380.2	44.8	9.8	11.8%
Central Valley Steelhead	360.2	44.6	9.8	11.670
Adult migration; juvenile rearing and migration habitat (linear miles)	84.7	8.7	6.2	10.2%
Adult spawning and migration; juvenile rearing and migration habitat	64.7	6.7	0.2	10.270
(linear miles)	105.8	14.8	20.6	14.0%
Non-natal juvenile rearing habitat (linear miles)	6.7	0.1	0.0	0.9%
Subtotal	197.1	23.5	26.9	11.9%
Central Valley Spring-run Chinook Salmon		-		
Adult migration; juvenile rearing and migration habitat (linear miles)	97.7	8.7	15.6	8.9%
Adult spawning and migration; juvenile rearing and migration habitat (linear miles)	20.2	1.6	8.6	8.0%
Non-natal juvenile rearing habitat (linear miles)	33.0	2.1	0.5	6.4%
Subtotal	151.0	12.4	24.7	8.2%
Central Valley Fall/Late Fall-run Chinook Salmon	-			-
Adult migration; juvenile rearing and migration habitat (linear miles)	54.5	7.7	0.0	14.1%
Adult spawning and migration; juvenile rearing and migration habitat (linear miles)	92.0	10.9	18.4	11.9%
Non-natal juvenile rearing habitat (linear miles)	5.4	0.0	0.0	0.0%
Subtotal	151.8	18.6	18.5	12.2%
Sacramento Splittail		L		
Rearing, migration, and potential spawning habitat (linear miles)	43.3	3.4	1.2	7.8%
Green Sturgeon	l	I	1	l .
Adult migration and spawning; juvenile migration and rearing habitat (linear miles)	9.1	0.3	0.0	3.0%
Adult migration; juvenile migration and rearing habitat (linear miles)	20.1	3.1	0.0	15.5%
Adult migration and potential spawning habitat (linear miles)	22.0	0.0	6.1	0.1%
Subtotal	51.3	3.4	6.2	6.6%
River Lamprey	•	•		•
Spawning, rearing, and migration habitat (linear miles)	51.2	3.4	6.2	6.6%
Valley Elderberry Longhorn Beetle	•		•	•
Habitat	42,951	5,979	4,205	13.9%
Vernal Pool Tadpole Shrimp				•
Habitat	34,241	4,298	784	12.6%
No. of Occurrences	17	3	2	17.6%
Conservancy Fairy Shrimp				•

Conservation Strategy Chapter 5

Habitat	NA	NA	NA	NA
No. of Occurrences	3	0	0	0.0%
Vernal Pool Fairy Shrimp	•		•	•
Habitat	34,241	4,298	784	12.6%
No. of Occurrences	29	3	0	10.3%
Ferris' Milkvetch	•		•	•
Habitat	2,208	799	109	36.2%
No. of Occurrences	8	5	0	62.5%
Lesser Saltscale			ı	
No. of Occurrences	2	2	0	100.0%
Hoover's Spurge	<u> </u>			1.
Habitat	34,241	4,298	784	12.6%
No. of Occurrences	4	3	0	75.0%
Ahart's Dwarf Rush				
Habitat	34,241	4,298	784	12.6%
No. of Occurrences	17	2	0	11.8%
Red Bluff Dwarf Rush				
Habitat	34,241	4,298	784	12.6%
No. of Occurrences	32	14	1	43.8%
Butte County Meadowfoam				
Primary Habitat	16,750	2,291	2,740	13.7%
Secondary Habitat	6,360	335	164	5.3%
Subtotal	23,110	2,627	2,904	11.4%
Veiny Monardella	<u> </u>	·		
No. of Occurrences	8	0	0	0.0%
Hairy Orcutt Grass				
Habitat	34,241	4,298	784	12.6%
No. of Occurrences	1	1	0	100.0%
Slender Orcutt Grass				
Habitat	34,241	4,298	784	12.6%
No. of Occurrences	2	0	0	0.0%
Ahart's Paronychia				
Habitat	34,241	4,298	784	6.3%
No. of Occurrences	5	0	2	0.0%
California Beaked-rush			ı	
No. of Occurrences	7	0	5	0.0%
Butte County Checkerbloom			ı	
Habitat	36,823	2,398	2,270	6.5%
No. of Occurrences	127	0	67	0.0%
Butte County Golden Clover	<u> </u>			•
Habitat	14,998	4,437	137	29.6%
No. of Occurrences	18	13	1	72.2%
Greene's Tuctoria				
Habitat	34,241	4,298	784	12.6%
No. of Occurrences	,	,		

¹Comprised of existing Category 1 lands as described in Section 5.2.3.6, *Role of Public and Easement Habitat Lands*. Category 1 lands meet the BRCP definition of protected lands.

²PEHL=Public and Easement Habitat Land. Other PEHL is comprised of Category 2 lands as described in Section 5.2.3.6.